N	am	e	:

Exam 1

Multiple Choice

Identify the choice that best completes the statement or answers the question. Record your name on the top of this exam and on the scantron form. *Record the test ID letter in the top right box of the scantron form.* Record all of your answers on the scantron form.

- 1. An electrically charged atom or group of atoms is a(n)
 - element. a.
 - b. ion.
 - c. chemical compound.
 - d. heterogeneous mixture.
 - homogeneous mixture. e.
- 2. What is the balanced chemical equation for the complete combustion of methanol, CH_3OH ?
 - a. $CH_3OH(\ell) \rightarrow CO(g) + 2 H_2(g)$
 - b. $CH_3OH(\ell) \rightarrow CH_2(g) + H_2O(g)$
 - c. $CH_3OH(\ell) + O_2(g) \rightarrow CO_2(g) + H_2O(g)$
 - d. $2 \operatorname{CH}_3\operatorname{OH}(\ell) + 3 \operatorname{O}_2(g) \rightarrow 2 \operatorname{CO}_2(g) + 4 \operatorname{H}_2\operatorname{O}(g)$
 - e. $2 \operatorname{CH}_3\operatorname{OH}(\ell) + 4 \operatorname{O}_2(g) \rightarrow 2 \operatorname{CO}_2(g) + 4 \operatorname{H}_2\operatorname{O}(g)$
- 3. What is the **net ionic equation** for the reaction of aqueous perchloric acid and aqueous potassium hydroxide?
 - $HClO_4(aq) + OH^-(aq) \rightarrow H_2O(\ell) + ClO_4^-(aq)$ a.
 - b. $ClO_4^{-}(aq) + K^{+}(aq) \rightarrow KClO_4(s)$
 - c. $HClO_4(aq) + KOH(aq) \rightarrow KClO_4(aq) + H_2O(\ell)$
 - d. $ClO_4^{-}(aq) + K^{+}(aq) \rightarrow KClO_4(aq)$
 - $H^+(aq) + OH^-(aq) \rightarrow H_2O(\ell)$ e.
- 4. What halogen is in the second period?
 - Ν a.
 - b. O
 - F c.
 - d. Ne
 - Ar e.
- 5. The formula for acetic acid, CH_3CO_2H , is an example of a(n)
 - condensed formula. a.
 - b. empirical formula.
 - c. structural formula.
 - d. ionic compound formula.
 - mass spectrum. e.

- 6. Which of the following formulas is not correct?
 - a. $Al_3(CO_3)_2$
 - b. KClO₄
 - c. BaO
 - d. $Ca(NO_3)_2$
 - e. Na_2HPO_4
- 7. Which one of the following is most likely to be a **homogeneous** mixture?
 - a. blood
 - b. ground beef
 - c. the air trapped inside an inflated balloon
 - d. chocolate chip cookies
 - e. mortar (a mixture of calcium carbonate and sand)
- 8. Which of the following compounds is a weak acid?
 - a. HCl
 - b. CH₃CO₂H
 - c. HNO₃
 - d. HClO₄
 - e. H₂SO₄
- 9. Which one of the following substances is classified as an element?
 - a. P₄
 - b. NO
 - c. KCl
 - d. $C_6H_{12}O_6$
 - e. NO₂
- 10. What is the correct name for N_2O_3 ?
 - a. nitrogen oxide
 - b. oxygen nitride
 - c. dinitrogen trioxide
 - d. nitrogen trioxide
 - e. trioxygen dinitride
- 11. An element consists of two isotopes. The abundance of one isotope is 60.1% and its atomic mass is 68.9256 u. The atomic mass of the second isotope is 70.9247 u. What is the average atomic mass of the element?
 - a. 69.7 u
 - b. 69.9 u
 - c. 70.1 u
 - d. 84.1 u
 - e. 139.9 u

12. Iron rusts according to the following equation:

 $_$ Fe(s) + $_$ O₂(g) \rightarrow $_$ Fe₂O₃(s)

What are the respective coefficients when the equation is balanced with the smallest integer values?

- a. 1, 1, 1
- b. 1, 3, 1
- c. 2, 3, 1
- d. 3, 3, 2
- e. 4, 3, 2
- 13. All of the following compounds are **insoluble** in water **EXCEPT** _____.
 - a. BaSO₄
 - b. AgI
 - c. CuS
 - d. $Ca(ClO_4)_2$
 - e. PbCrO₄
- 14. Light with a wavelength of 25 nm is in the x-ray region of the electromagnetic spectrum. What is the wavelength of this light in meters?
 - a. $2.5 \times 10^{-11} \text{ m}$
 - b. $2.5 \times 10^{-10} \text{ m}$
 - c. 2.5×10^{-8} m
 - d. 2.5×10^{-7} m
 - $e. \quad 2.5\times 10^{10}\ m$
- 15. Two isotopes of a given element will have the same number of _____, but a different number of _____ in their nucleus.
 - a. protons, electrons
 - b. electrons, protons
 - c. protons, neutrons
 - d. neutrons, protons
 - e. electrons, neutrons

16. How many **hydrogen atoms** are in 1.0 g of CH₄?

- a. 6.2×10^{-2} atoms
- b. 2.5×10^{-1} atoms
- c. 3.8×10^{22} atoms
- d. 1.5×10^{23} atoms
- e. 3.9×10^{25} atoms

17. Ethanol boils at 351.7 K. What is this temperature in Celsius?

- a. 1.29 °C
- b. 53.5 °C
- c. 78.5 °C
- d. 227.4 °C
- e. 624.9 °C

- 18. Write a balanced net ionic equation for the reaction of barium carbonate and aqueous hydrochloric acid.
 - a. $BaCO_3(s) + 2 H^+(aq) \rightarrow Ba^{2+}(aq) + CO_3^{2-}(aq) + H_2(g)$
 - b. $BaCO_3(s) + 2 H^+(aq) \rightarrow Ba^{2+}(aq) + CO_2(g) + H_2O(\ell)$
 - c. $BaCO_3(s) + 2 HCl(aq) \rightarrow BaCl_2(aq) + H_2CO_3(aq)$
 - d. $BaCO_3(s) + 2 H^+(aq) \rightarrow Ba^{2+}(aq) + H_2CO_3(s)$
 - e. $BaCO_3(s) + 2 H^+(aq) \rightarrow BaO(s) + CO_2(g) + H_2(g)$
- 19. Which of the following statements is/are correct?
 - 1. A solute is a mixture of a solvent and a soluble compound.
 - 2. A solution is a homogeneous mixture of a solvent and a solute.
 - 3. Water is a solvent that is commonly used by chemists.
 - a. 1 only
 - b. 2 only
 - c. 3 only
 - d. 1 and 2
 - e. 2 and 3
- 20. Round 0.000680483 to 4 significant figures.
 - a. 0.000
 - b. 0.0007
 - c. 0.0006805
 - d. 0.00068048
 - e. 0.000680483
- 21. What is the net ionic equation for the reaction of aqueous sodium hydroxide and aqueous iron(II) chloride?
 - a. $Na^+(aq) + OH^-(aq) \rightarrow NaOH(s)$
 - b. $Na^+(aq) + Cl^-(aq) \rightarrow NaCl(s)$
 - c. $Fe^{2+}(aq) + 2 OH^{-}(aq) \rightarrow Fe(OH)_{2}(s)$
 - d. $Fe^{2+}(aq) + OH^{-}(aq) \rightarrow FeOH^{+}(s)$
 - e. $\operatorname{Fe}^{2+}(\operatorname{aq}) + 2\operatorname{Cl}^{-}(\operatorname{aq}) \to \operatorname{Fe}\operatorname{Cl}_2(\operatorname{s})$
- 22. The SI unit of temperature is the _____.
 - a. kelvin
 - b. calorie
 - c. fahrenheit
 - d. absolute zero scale
 - e. kilocalorie

Name: ___

- 23. A 3.592 g sample of hydrated magnesium bromide, MgBr₂·xH₂O, is dried in an oven. When the anhydrous salt is removed from the oven, its mass is 2.263 g. What is the value of *x*?
 - a. 1
 - b. 3
 - c. 6
 - d. 8
 - e. 12

- 24. What is the atomic symbol for an element that has 24 neutrons and a mass number of 45?
 - a. Tm
 - b. Cr
 - c. Rh
 - d. Sc
 - e. Dy
- 25. All of the following are examples of chemical change EXCEPT
 - a. the condensation of steam.
 - b. the rusting of iron.
 - c. the combustion of gasoline.
 - d. the tarnishing of silver.
 - e. the decomposition of cinnabar (HgS) to mercury metal upon heating.
- 26. The density of liquid mercury is 13.5 g/cm³. What mass of mercury will fill a 12.0 ounce soda can? (1.00 oz = 29.6 mL, $1.00 \text{ g} = 1.00 \text{ cm}^3$)
 - a. 0.0380 g
 - b. 26.3 g
 - c. 162 g
 - d. 369 g
 - e. 4.80×10^3 g