


Questions x through y refer to the energy diagram below of a “first row” ($n=2$) diatomic:



- The energy level denoted “**f**” refers to:
 - a bonding molecular orbital
 - a nonbonding molecular orbital
 - an antibonding molecular orbital
 - an atomic orbital

(3) (OWL question)
- The energy level denoted “**h**” refers to:
 - a sigma bonding molecular orbital
 - a π bonding molecular orbital
 - an atomic orbital
 - a sigma antibonding molecular orbital
 - a π antibonding molecular orbital

(1) (OWL question)
- The electrons in the orbital represented by energy level “**f**”:
 - are distributed more toward X
 - are distributed more toward Y
 - are equally distributed between X and Y

(2) (OWL question)

4. If the letter designations represent energies of the orbitals, then:

$a + d =$ 1) $e + f$ 2) $e - f$ 3) $f - e$ 4) none of these

(1)

5. The diatomic XY is NO^+ . What is the overall diatomic bond order?

1) 1.0 2) 1.5 3) 2.0 4) 2.5 5) 3.0

(5)

6. The diatomic XY is NO^+ . The oxygen atomic orbitals are represented by:

1) X 2) Y 3) XY

(1)


7. The picture at right depicts which type of orbital hybridization?

1) sp 2) sp^2 3) sp^3 4) sp^4



5) none of the above

(1) from OWL 10-2b. The above is a traditional way (and one used in class) to represent the hybrid orbital described in the book by the picture at right




8. In the orbital hybridization *above*, how many atomic orbitals were used to create the resulting molecular orbitals?

1) 1 2) 2 3) 3 4) 4 5) 5

(2) from OWL 10-2b

9. In the molecule 2-pentene, shown at right, the carbon labeled (4) has what hybridization?

1) sp 3) sp^3
2) sp^2 4) sp^4



(3) requires 4 orbitals (OWL question)

10. The angle describing C₃-C₄-C₅ (centered on carbon 4) is approximately:

- 1) 90° 2) 109.5° 3) 120° 4) 180°


(2) – bond angles for sp³

11. A central atom in a molecule has an octahedral electron pair geometry. What is the orbital hybridization on that atom?

- 1) sp 2) sp² 3) sp³ 4) sp³d 5) sp³d²

(5) requires 6 hybrid orbitals

12. Trendy anti-wrinkle creams advertise the presence of “alpha hydrox” as a key component. A structure of an alpha hydroxy acid is shown at right. In this molecule, what is the hybridization at the *alpha hydroxyl oxygen*? Hint: all C and O atoms have complete octets.



- 1) sp 2) sp² 3) sp³ 4) sp³d 5) sp³d²

(3) To complete the octet on O and make it “happy,” we need to add two pairs of electrons. This places 4 “electron groupings” around O and therefore we need hybridization that gives us 4 hybrid orbitals. (Chapter 10)

Solubility Rules for some ionic compounds in water

Soluble Ionic Compounds

- All sodium (Na^+), potassium (K^+), and ammonium (NH_4^+) salts are SOLUBLE.
- All nitrate (NO_3^-), acetate (CH_3CO_2^-), chlorate (ClO_3^-), and perchlorate (ClO_4^-) salts are SOLUBLE.
- All chloride (Cl^-), bromide (Br^-), and iodide (I^-) salts are SOLUBLE -- EXCEPT those also containing: lead, silver, or mercury (I) (Pb^{2+} , Ag^+ , Hg_2^{2+}) which are NOT soluble.
- All sulfate (SO_4^{2-}) salts are SOLUBLE -- EXCEPT those also containing: calcium, silver, mercury (I), strontium, barium, or lead (Ca^{2+} , Ag^+ , Hg_2^{2+} , Sr^{2+} , Ba^{2+} , Pb^{2+}) which are NOT soluble.

Not Soluble Ionic Compounds


- Hydroxide (OH^-) and oxide (O^{2-}) compounds are NOT SOLUBLE -- EXCEPT those also containing: sodium, potassium, or barium (Na^+ , K^+ , Ba^{2+}) which are soluble.
- Sulfide (S^{2-}) salts are NOT SOLUBLE -- EXCEPT those also containing: sodium, potassium, ammonium, or barium (Na^+ , K^+ , NH_4^+ , Ba^{2+}) which are soluble.
- Carbonate (CO_3^{2-}) and phosphate (PO_4^{3-}) salts are NOT SOLUBLE -- EXCEPT those also containing: sodium, potassium, or ammonium (Na^+ , K^+ , NH_4^+), which are soluble.

For the record: +2 is a very uncommon oxidation state for silver (0 and +1 are common), hence the table above is fine as written, but the question below is “unusual.” With the amendment to the solubility rules announced during the exam, you should nevertheless have been able to answer it correctly.


13. Mixing $\text{Ag}(\text{NO}_3)_2$ with MgBr_2 in water leads to precipitation of:

- 1) a NO_3^- salt 2) a Mg^{2+} salt 3) a Br^- salt
4) everything precipitates 5) no precipitation

(3) inspired by OWL 5-2d



14. Gold can be dissolved from gold-bearing rock by treating the rock with sodium cyanide in the presence of oxygen.



For this reaction, what is the oxidizing agent on the left side of the reaction?

- 1) Au 2) NaCN 3) H_2O 4) O_2 5) H^+

(4) O_2 K&T 5-122 $\text{Au}^0 \rightarrow \text{Au}^{3+}$ $\text{O}_2 \rightarrow \text{OH}^-$ (O oxid no -2)


15. Ammonium sulfide, $(\text{NH}_4)_2\text{S}$, reacts with $\text{Hg}(\text{NO}_3)_2$ to produce HgS and NH_4NO_3 . This reaction is best classified as:

- 1) oxidation-reduction 2) precipitation 3) acid-base
4) gas evolving 5) gas evolving and precipitation

(2) HgS is insoluble (rule 6, above). NH_4NO_3 is clearly soluble, not a gas.



16. Consider the unbalanced reaction:




In the balanced, net ionic equation for this reaction, the coefficient preceding Cl^- is:

- 1) 1 2) 2 3) 3
4) Cl^- does not appear in the net ionic equation



17. Consider the unbalanced reaction:




This reaction is best classified as:

- 1) oxidation-reduction 2) gas evolving 3) acid-base
4) precipitation 5) gas evolving and precipitation

(3) see above

18. Consider the following reaction that occurs within rechargeable “lead storage” batteries:



The oxidation number of Pb in PbSO_4 is:

- 1) +1 2) +2 3) +3 4) +4 5) +5

(2) SO_4^{2-} “gets its way”

19. In the above reaction, the oxidizing agent on the left side of the reaction is:

- 1) Pb (s) 2) PbO₂ (s) 3) H₂SO₄ 4) this is not a redox reaction



20. Which reaction below is a redox reaction?

- 1) Ge (s) + 2Cl₂ (g) → GeCl₄ (l)
2) NaOH (aq) + HNO₃ (aq) → NaNO₃ (aq) + H₂O (l)
3) Na₂CO₃ (aq) + 2 HClO₄ (aq) → CO₂ (g) + H₂O (l) + 2NaClO₄
4) CdCl₂ (aq) + Na₂S (aq) → CdS (s) + 2 NaCl (aq)
5) None of the above

(1) Look at redox changes Chapt 5 inspired by book

21. The net ionic equation for the reaction of zinc sulfate and sodium hydroxide is:

- 1) Zn²⁺ (aq) + 2 OH⁻ (aq) → Zn(OH)₂ (s) + Na₂SO₄ (aq)
2) ZnSO₄ (aq) + 2 NaOH (aq) → Zn(OH)₂ (aq) + Na₂SO₄ (aq)
3) Zn²⁺ (aq) + 2 OH⁻ (aq) → Zn(OH)₂ (aq)
4) Zn²⁺ (aq) + 2 OH⁻ (aq) → Zn(OH)₂ (s)
5) No *net* reaction occurs

(4) hydroxide salts are generally insoluble (OWL 5-2c)

22. Even though it is only slightly soluble, dissolving MgO (assume that it does dissolve) in water leads to:

- 1) a resulting acidic solution
2) a resulting basic solution
3) no change in pH of the solution

(2)


23. You add sufficient 1 M HCl to 1.0 L of water to yield a final pH=2.0. Which statement below is true regarding the resulting solution?

- 1) [OH⁻] = 10⁻¹⁴ M 2) [H⁺] = 2.0 M 3) [Cl⁻] = 10.0 mM
4) [H⁺] = 10² M 5) none of the above

(3) HCl dissociates completely [H⁺] = 10^{-(2.0)} M = [Cl⁻]

There was an error in the wording of the following question. Everyone will get full credit.

24. Write the balanced, *net ionic equation* corresponding to the unbalanced equation:



Incorrect: The numerical coefficient preceding AlPO_4 (aq) is:

Correct: The numerical coefficient preceding AlPO_4 (s) is:

1) 1 2) 2 3) 3 4) 4

5) 0 (K^+ doesn't occur in the net ionic equation)



(1) OWL 10-xx

25. What is the catalog number for this class?

1) 123 2) 345 3) 86 4) 111 5) 68.6 g

(4)