

Chem 111**9:05a section Evening Exam #3v1****Updated 4/28/04 10:15am**

This exam is composed of **25** questions. Go initially through the exam and answer the questions you can answer *quickly*. Then go back and try the ones that are more challenging to you and/or that require calculations.

As discussed on the course syllabus, honesty and integrity are absolute essentials for this class. In fairness to others, dishonest behavior will be dealt with to the full extent of University regulations.

$$E = h\nu = \frac{hc}{\lambda}$$

$$1 \text{ mL} = 1 \text{ cm}^3$$

$$\text{Hz} = \text{s}^{-1}$$

$$h = 6.626 \times 10^{-34} \text{ J s}$$

$$c = 2.998 \times 10^8 \text{ m s}^{-1}$$

$$N = 6.022 \times 10^{23} \text{ mol}^{-1}$$

PERIODIC TABLE OF THE ELEMENTS

1A	2A	3B	4B	5B	6B	7B	8B	8B	8B	1B	2B	3A	4A	5A	6A	7A	8A
1 H 1.008																	2 He 4.003
3 Li 6.939	4 Be 9.012											5 B 10.81	6 C 12.01	7 N 14.01	8 O 16.00	9 F 19.00	10 Ne 20.18
11 Na 22.99	12 Mg 24.31											13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95
19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.90	23 V 50.94	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.71	29 Cu 63.55	30 Zn 65.39	31 Ga 69.72	32 Ge 72.61	33 As 74.92	34 Se 78.96	35 Br 79.90	36 Kr 83.80
37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.94	43 Tc (99)	44 Ru 101.1	45 Rh 102.9	46 Pd 106.4	47 Ag 107.9	48 Cd 112.4	49 In 114.8	50 Sn 118.7	51 Sb 121.8	52 Te 127.6	53 I 126.9	54 Xe 131.3
55 Cs 132.9	56 Ba 137.3	57 La 138.9	72 Hf 178.5	73 Ta 181.0	74 W 183.8	75 Re 186.2	76 Os 190.2	77 Ir 192.2	78 Pt 195.1	79 Au 197.0	80 Hg 200.6	81 Tl 204.4	82 Pb 207.2	83 Bi 209.0	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra 226.0	89 Ac 227.0	104 Unq (261)	105 Unp (262)	106 Unh (263)	107 Uns (262)	108 Uno (265)	109 Une (266)									

Solubility Rules for some ionic compounds in water**Soluble Ionic Compounds**


- All sodium (Na^+), potassium (K^+), and ammonium (NH_4^+) salts are SOLUBLE.
- All nitrate (NO_3^-), acetate (CH_3CO_2^-), chlorate (ClO_3^-), and perchlorate (ClO_4^-) salts are SOLUBLE.
- All chloride (Cl^-), bromide (Br^-), and iodide (I^-) salts are SOLUBLE -- EXCEPT those also containing: lead, silver, or mercury (I) (Pb^{2+} , Ag^+ , Hg_2^{2+}) which are NOT soluble.
- All sulfate (SO_4^{2-}) salts are SOLUBLE -- EXCEPT those also containing: calcium, silver, mercury (I), strontium, barium, or lead (Ca^{2+} , Ag^+ , Hg_2^{2+} , Sr^{2+} , Ba^{2+} , Pb^{2+}) which are NOT soluble.

Not Soluble Ionic Compounds

- Hydroxide (OH^-) and oxide (O^{2-}) compounds are NOT SOLUBLE -- EXCEPT those also containing: sodium, potassium, or barium (Na^+ , K^+ , Ba^{2+}) which are soluble.
- Sulfide (S^{2-}) salts are NOT SOLUBLE -- EXCEPT those also containing: sodium, potassium, ammonium, or barium (Na^+ , K^+ , NH_4^+ , Ba^{2+}) which are soluble.
- Carbonate (CO_3^{2-}) and phosphate (PO_4^{3-}) salts are NOT SOLUBLE -- EXCEPT those also containing: sodium, potassium, or ammonium (Na^+ , K^+ , NH_4^+), which are soluble.

1. What is the molecular geometry of XeF_4 ?


- 1) square pyramidal 2) octahedral 3) trigonal bipyramidal
4) square planar 5) none of the above



OWL 9-xx

2. XeF_4 is:


- 1) polar 2) nonpolar 3) can't tell



OWL 9-xx

3. What is the molecular geometry of ClF_5 ?

- 1) square planar 2) octahedral 3) trigonal bipyramidal
4) square pyramidal 5) none of the above



OWL 9-xx

The answer above is correct, but there was an error on the other version of the exam. Consequently, everyone will get full credit


4. ClF_5 is:

- 1) polar 2) nonpolar 3) can't tell

(1) polar


The answer above is correct, but there was an error on the other version of the exam. Consequently, everyone will get full credit

9. Which of the following molecular orbital representations correctly describes N_2^+ ?



(4) – nine electrons – from OWL 10-5c

10. For the diatomic molecule XY, the diagram at right depicts:



- 1) one sigma bonding orbital
 - 2) two sigma bonding orbitals
 - 3) one π bonding orbital
 - 4) two π bonding orbitals
 - 5) one 2p atomic orbital
- (3)
11. In the diatomic molecule XY, above, we can deduce that:
- 1) atom X has a higher electronegativity than atom Y
 - 2) atom Y has a higher electronegativity than atom X
 - 3) atoms X and Y have the same electronegativity
 - 4) we have insufficient data to distinguish the relative electronegativities
- (2)
12. In the diatomic molecule XY, above the orbital(s) is/are likely derived from:
- 1) one sp hybrid orbital on X and another sp hybrid orbital on Y
 - 2) one s atomic orbital on X and another s atomic orbital on Y
 - 3) one s atomic orbital on X and a p atomic orbital on Y
 - 4) one p atomic orbital on X and an s atomic orbital on Y
 - 5) one p atomic orbital on X and another p atomic orbital on Y
- (5)


13. Mixing $\text{Pb}(\text{NO}_3)_2$ with CaCl_2 in water leads to precipitation of:

- 1) a NO_3^- salt 2) a Ca^{2+} salt 3) a Cl^- salt
 4) everything precipitates 5) no precipitation

(3) inspired by OWL 5-2d



14. Gold can be dissolved from gold-bearing rock by treating the rock with sodium cyanide in the presence of oxygen.



For this reaction, what is the oxidizing agent?

- 1) Au 2) NaCN 3) O_2 4) H_2O 5) H^+

(3) O_2 K&T 5-122


15. Ammonium sulfide, $(\text{NH}_4)_2\text{S}$, reacts with $\text{Hg}(\text{NO}_3)_2$ to produce HgS and NH_4NO_3 . This reaction is best classified as:

- 1) oxidation-reduction 2) gas evolving 3) acid-base
 4) precipitation 5) gas evolving and precipitation

(4) HgS is insoluble (rule 6, above). NH_4NO_3 is clearly soluble, not a gas.

K&T 5-97

16. Consider the reaction:



This reaction is best classified as:

- 1) oxidation-reduction 2) precipitation 3) acid-base
 4) gas-evolving 5) gas evolving and acid-base

(5) CO_2 is a gas. 2H^+ from HNO_3 joins with O^{2-} from CO_3^{2-}

(the latter is really the same as H^+ plus OH^-)

17. CdSe finds many uses in electronics and the computer industry. What is the oxidation number of Cd in CdSe?

- 1) 1 2) 2 3) 3 4) 4 5) 0

(2) +2 Se wants to be -2

18. Alka seltzer is a combination of citric acid, $C_6H_8O_7$, and $NaHCO_3^-$. They react in your glass to form $C_6H_7O_7^-$, H_2O , and CO_2

What is the oxidation number of C in $C_6H_8O_7$?

- 1) +1 2) +2 3) +3 4) +6 5) -6

$$(1) +1 \quad 0 = 6x + 8(+1) + 7(-2)$$


18. Alka seltzer is a combination of citric acid, $C_6H_8O_7$, and $NaHCO_3^-$. They react in your glass to form $C_6H_7O_7^-$, H_2O , and CO_2

What is the oxidation number of C in $C_6H_7O_7^-$?

- 1) +1 2) +2 3) +3 4) +6 5) -6

$$(1) +1 \quad -1 = 6x + 7(+1) + 7(-2)$$


19. Write the balanced, *net ionic equation* corresponding to the unbalanced equation:



The coefficient in front of Na^+ (aq) is:





- 1) 1 2) 2 3) 3 4) 4

5) 0 (Na^+ doesn't occur in the net ionic equation)



(5) Na^+ cancels out of the net ionic equation OWL 10-xx

20. Which reaction below is a redox reaction?







5) None of the above

(4) Look at redox changes

Chapt 5 inspired by book

21. The net ionic equation for the reaction of zinc sulfate and sodium hydroxide is:



5) No *net* reaction occurs

(3) hydroxide salts are generally insoluble (OWL 5-2c)

22. Dissolving BaO in water leads to:

1) a resulting basic solution

2) a resulting acidic solution

3) no change in pH of the solution

(1)

23. Which of the following is the strongest acid?


1) H_3PO_4 2) H_2CO_3 3) CH_3COOH 4) HNO_3 5) NH_3

(4) Nitric acid

24. In benzene, shown at right, there are 3 pi bonding and 3 pi antibonding molecular orbitals. How many carbon 2p orbitals are used in creating these molecular orbitals?

1) 1 2) 2 3) 3 4) 6 5) 12

(4) six -- six atomic orbitals yield six molecular orbitals



25. The correct designator for this course is:

1) Chem 111 2) Chem 363 3) Econ 3.33 4) Sports 01

(1)